



Plumb®

- Claw and Ball Pein Hammers
- Heavy Hammers
- Axes and Hatchets

From its beginnings in a small Philadelphia blacksmith shop in 1856 to its rise to become the most popular brand of hammers and axes in the world, the Plumb® story has always been one of superior product quality and durability.

Today, that tradition continues with high quality Plumb axes, hatchets, and fiberglass, solid steel and hickory-handled hammers.





Plumb® Table of Contents

Contents	Page No.
Quality striking tools – introduction	169
Fiberglass claw hammers	170 - 171
Solid steel claw hammers	172
Hickory handled claw hammers	173
Ball pein hammers	174
Tradesmen's hammers	175 - 177
Heavy hammers	178
Axes	179 - 180
Hatchets	181 - 182
Plumb® numerical index	183

Safety tips

Hand tools are made in various types and sizes, degrees of hardness and different configurations for specific purposes. They should be carefully selected and used only for their intended purpose. Proper use of most types involves certain basic rules:

- Protect your eyes – always wear safety goggles.
- Strike squarely – avoid glancing blows.
- Always use a tool of suitable size and weight for the job.
- The striking face of a hammer should be approximately 3/8" larger in diameter than the struck face of a chisel, punch, etc.
- Replace immediately upon chipping or mushrooming of the face.
- Never use a tool with a loose or damaged handle.
- Never use a grinding wheel for redressing a cutting edge or a striking face, use a file or whetstone and redress to original shape and contour.
- Never use a hammer, maul, or axe to strike another hammer, maul or axe.
- Never use a tool with a dull cutting edge.

 WARNING	 AVERTISSEMENT	 ADVERTENCIA
 <p>Risk Of Eye Injury Wear ANSI Approved Eye Protection</p>	<p>Risque de dommages d'oeil Protection d'oeil approuvée de l'usage A.N.S.I.</p>	<p>Riesgo de lesión del ojo Protección de ojo aprobada del desgaste ANSI</p>


Quality Striking Tools

The quality of Plumb® tools has been recognized and preferred by tool users throughout the world. The special analysis steel used to make Plumb® tools is forged to close tolerances and heat treated to build in the toughness necessary to withstand impact. Extra care is then taken in hardening and tempering to make each part of the tool ready for the specific job it has to do.

You can be sure Plumb® tools have the toughness, durability and keenness to do the job. Plumb® tools are engineered for balance and exacting care is taken to assure the head is “hung” on the handle at the right angle. This built-in balance gives Plumb® tools extra driving power. They swing easy – hit hard.

Permabond® Chemical Bonding Process


Permabond® is a red-colored chemical weld used in Plumb® tool eyes to join head and handle together. Chemical bonding process replaces conventional wedging which splits wood, allowing moisture to swell and shrink the handle and eventually loosen the head. Permabond® chemical bonding process seals moisture out, forming a bond so tight it takes approximately 2 tons of pressure to pull it apart. Permabond® chemical bonding process is used on all nail hammers, except one-piece hammers, and is a visible plus with homeowners and tradesmen.



- Face radius and chamfer are designed to provide a hard striking face.
- Mid-section is resilient, yet extra strong.
- Claws are tough, sturdy; edges are beveled, with uniform taper and bite.
- With proper use, safety is enhanced by the double tempering process for the striking face and claw.



Nail hammers are made in two patterns; curved claw and straight or ripping claw. The face is slightly crowned with the edges beveled, although certain heavy-duty patterns may have checkered faces designed to reduce glancing blows and flying nails. Handles may be wood, solid steel, or fiberglass. Solid steel and fiberglass are generally furnished with rubber-type grips.

Nail Hammers



Handles





For many good reasons, the traditional choice of material for a striking tool handle is North American red hickory. It looks good and it naturally feels good. The continuous fibers of this fine stock give great resilience and strength while minimizing impact shock. Man-made materials have their advantages, too. Plumb® developed and introduced the fiberglass handle in 1955. It can't rust, rot or corrode, and despite its light weight, it has astonishing strength. Plumb® introduced a new jacketed fiberglass and nylon handle in 1997. Tests on a Tinius-Olsen testing machine have shown that with more than 450lbs of applied load, a Plumb® fiberglass handle won't break. With its smart looking, resilient, black or orange cushion grip fitted to its fiberglass handle, this line has the look of a winner. The latest material used in Plumb® hammers is solid steel. These hammers are solid steel throughout, with cushion grip handle, textured for positive hold, and colored hard-to-lose red. The head will never come off and the hammer is well balanced to give extra power with less fatigue.



Nail Hammer Warning

Warning - Wear Safety Goggles - User and Bystander

Nail hammers are designed for driving and pulling common, unhardened nails only, and for ripping apart wooden structures. Never strike one hammer with or against another hammer or other hardened objects as the face may chip, possibly resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.

 WARNING	 AVERTISSEMENT	 ADVERTENCIA
 <p>Risk Of Eye Injury Wear ANSI Approved Eye Protection</p>	<p>Risque de dommages d'oeil Protection d'oeil approuvée de l'usage A.N.S.I.</p>	<p>Riesgo de lesión del ojo Protección de ojo aprobada del desgaste ANSI</p>

Premium Curved Claw



11402

- High-luster, full-polished finish
- Octagon-shaped neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- Contoured handle for increased comfort and reduced fatigue
- Enlarged handle base for butting material
- New grip material reduces handle slickness
- Factory balanced for maximum striking power
- PermaBond® construction between head and handle

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
11400	037103114006	20	567	13	330	8.0	3.63	4	Polished
11402	037103114020	16	454	13	330	6.8	3.08	4	Polished
11403	037103114037	13	369	12 1/2	318	6.0	2.72	4	Polished

Plumb

Premium Ripping Claw



11414

- High-luster, full-polished finish
- Octagon-shaped neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- Contoured handle for increased comfort and reduced fatigue
- Enlarged handle base for butting material
- New grip material reduces handle slickness
- Factory balanced for maximum striking power
- PermaBond® construction between head and handle

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
11414	037103114143	22	624	13 1/2	343	8.8	3.99	4	Polished
11415	037103114150	16	454	13	330	7.2	3.27	4	Polished
11416	037103114167	22	624	15	377	9.2	4.17	4	Polished
11417	037103114174	22	624	15	377	9.2	4.17	4	Checkered
11420	037103114204	20	567	13	330	8.0	3.63	4	Polished

Regular Curved Claw

- Polished finish on head, bell, striking face, back and sides
- Round bell and octagon neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- New grip material reduces handle slickness
- Factory balanced for maximum striking power
- PermaBond® construction between head and handle



11406

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
11405	037103114051	20	567	13	330	7.6	3.45	4	Polished
11406	037103114068	16	454	13	330	6.4	2.90	4	Polished
11407	037103114075	13	369	12 1/2	318	5.6	2.54	4	Polished

Regular Ripping Claw

- Polished finish on head, bell, striking face, back and sides
- Round bell and octagon neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- New grip material reduces handle slickness
- Factory balanced for maximum striking power
- PermaBond® construction between head and handle



11419

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
11418	037103114181	20	567	13	330	7.6	3.45	4	Polished
11419	037103114198	16	454	13	330	7.2	3.27	4	Polished

Economy Curved Claw

- Durable black enamel finish on head
- Round bell and octagon neck
- Virtually unbreakable fiberglass handle: solid fiberglass core covered with a molded nylon jacket to resist breakage due to overstrike
- New grip material reduces handle slickness
- Factory balanced for maximum striking power
- PermaBond® construction between head and handle



Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
11654	037103116543	16	454	13	330	9.6	4.36	6	Polished

Plumb

Solid Steel Anti-shock Premium Curved Claw



- Patented anti-vibration shock absorbing technology (Patent No. US 6405616 B1)
- Anti-vibration feature absorbs shock and minimizes muscle fatigue
- 1-Piece forged solid steel construction
- Co-molded contoured handle for increased comfort and control
- High-luster, full polished finish

SS16C

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
SS16C	037103184368	16	454	12.875	327	7.08	3.21	4	Polished
SS20C	037103184399	20	567	13.75	349	7.87	3.57	4	Polished

Solid Steel Anti-shock Premium Ripping Claw



- Patented anti-vibration shock absorbing technology (Patent No. US 6405616 B1)
- Anti-vibration feature absorbs shock and minimizes muscle fatigue
- 1-Piece forged solid steel construction
- Co-molded contoured handle for increased comfort and control
- High-luster, full polished finish

SS20R

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
SS16R	037103184375	16	454	12.875	327	7.08	3.21	4	Polished
SS20R	037103184405	20	567	13.75	349	8.0	3.63	4	Polished
SS22R	037103184412	22	624	15.875	403	8.93	4.05	4	Polished
SS22RCF	037103184429	22	624	15.875	403	8.93	4.05	4	Checkered
SS28R	037103184443	28	794	16	406	9.72	4.41	4	Polished
SS28RCF	037103184450	28	794	16	406	9.72	4.41	4	Checkered

Autograf Hammers - Premium Curved Claw

- High-luster, full-polished
- Octagon-shaped pole
- Quality, red hickory handle
- Permabond® construction between head and handle
- Factory balanced



11436

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
11435	037103114358	20	567	13	330	10.8	4.90	6	Polished
11436	037103114365	16	454	13	330	9.0	4.08	6	Polished
11438	037103114389	13	369	12 1/2	318	8.4	3.81	6	Polished

Autograf Hammers - Premium Ripping Claw

- High-luster, full-polished head, pole, back and sides
- Octagon-shaped neck
- Quality, red hickory handle
- Permabond® construction between head and handle
- Factory balanced



11440

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
11439	037103114396	22	624	13 1/2	343	10.8	4.90	6	Polished
11440	037103114402	16	454	13	330	9.0	4.08	6	Polished
11442	037103114426	22	624	16	457	7.2	3.27	4	Checkered

Homethrift Hammers Economy Curved Claw

- Durable, black epoxy powder paint finish on head
- Polished bell and striking face
- Hickory handle
- Permabond® construction between head and handle



Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack	Face
		oz	g	Inch	mm	lb	k		
11460	037103114600	16	454	13	330	9.0	4.08	6	Polished

Ball Pein Hammer Warning

Warning - Wear Safety Goggles - User and Bystander

Ball pein hammers of the proper size are designed for striking chisels and punches, and for riveting, shaping and straightening unhardened metal. The striking face should have a diameter at least 3/8" larger than the struck face of the tool. Never strike one hammer with or against another hammer or other hardened objects as chipping may occur, possibly resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.

⚠ WARNING		⚠ AVERTISSEMENT		⚠ ADVERTENCIA	
	Risk Of Eye Injury	Risque de dommages d'oeil	Protection d'oeil approuvée de l'usage A.N.S.I.	Riesgo de lesión del ojo	Protección de ojo aprobada del desgaste ANSI
	Wear ANSI Approved Eye Protection				

Fiberglass Ball Pein Hammers



- Rust-resistant, forged black head with polished poles and peins
- Professional quality fiberglass handle
- Permabond® construction between head and handle
- Comfortable black cushion grip

11428

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11426	037103114266	16	454	12 3/4	324	6.4	2.90	4
11427	037103114273	20	567	13	330	7.2	3.27	4
11428	037103114280	24	681	15	377	10	4.54	4
11429	037103114297	32	908	15	377	11.2	5.08	4
11430	037103114303	40	1135	15	377	13.2	5.99	4

Plumb

Hickory Ball Pein Hammers



- Ground, black head
- Polished poles and peins
- Quality, hickory handle
- Permabond® construction between head and handle

11498

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11494	037103114945	4	113	10 1/2	267	2.4	1.09	6
11495	037103114952	6	170	10 1/2	267	3.6	1.63	6
11496	037103114969	8	227	11 1/4	286	4.8	2.18	6
11497	037103114976	12	340	11 1/4	286	6.0	2.72	6
11498	037103114983	16	454	12 3/4	324	7.8	3.54	6
11499	037103114990	20	567	12 3/4	324	10.2	4.63	6
11520	037103115201	24	681	15	377	12.0	5.44	6
11521	037103115218	32	908	15	377	15.0	6.80	6
11522	037103115225	40	1135	15	377	18.0	8.16	6

Brick Hammer Warning

Warning - Wear Safety Goggles - User and Bystander

Brickhammers are designed for setting and cutting (splitting) bricks, masonry tile and concrete blocks. Never strike one hammer with or against another hammer or other hardened objects as chipping may occur, possibly resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.

	⚠ WARNING	⚠ AVERTISSEMENT	⚠ ADVERTENCIA
	Risk Of Eye Injury Wear ANSI Approved Eye Protection	Risque de dommages d'oeil Protection d'oeil approuvée de l'usage A.N.S.I.	Riesgo de lesión del ojo Protección de ojo aprobada del desgaste ANSI

Fiberglass Brick Hammers

- Forged head
- Polished face, chamfer, bit, back and sides
- Fiberglass handle with comfortable cushion grip
- Permabond® construction between head and handle
- 1 1/8" - wide bit on 24oz.
- 1 1/16" - wide bit on 15oz.



11421

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11421	037103114211	24	681	13	330	9.2	4.17	4
11422	037103114228	15	425	12 1/4	311	6.0	2.72	4

Hickory Handled Brick Hammers

- Forged head
- Durable, black epoxy powder paint on head
- Sharp cutting bit
- Strong hickory handle
- Permabond® construction between head and handle
- 1 1/8" - wide bit on 24oz.
- 1 1/16" - wide bit on 15oz.



11491P

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11491P	037103114914	24	681	11	279	10.8	4.90	6
11492	037103114921	15	425	11	279	8.4	3.81	6

Fiberglass Wide Bit Brick Hammers



- Forged head
- Durable, black epoxy powder paint on head
- Sharp, wide cutting bit
- Fiberglass handle with comfortable cushion grip
- Permabond® construction between head and handle
- 1 3/4"- wide bit

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11502	037103115027	20	567	13	330	7.4	3.36	4

Hickory Handled Wide Bit Brick Hammer



- Forged head
- Durable, black epoxy powder paint finish on head
- Sharp, wide cutting bit
- Strong hickory handle
- Permabond® construction between head and handle
- 1 3/4"- wide bit

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11501	037103115010	16	454	11	279	8.5	3.85	6

Solid Steel Brick Hammer



- Solid steel for extra strength
- Forged handle and head
- Sharp cutting bit
- Cushion grip for extra comfort
- Designed for the professional

SS20BH

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
SS20BH	037103184382	20	567	11	279	7.83	3.55	4
SS24BH	037103184436	24	680	11	279	9.40	4.26	4

Hickory Handled Scaling Hammer

- Forged head
- Durable, black epoxy powder paint finish on head
- Red hickory handle
- PermaBond® construction between head and handle
- Used by welder's



Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11530	037103115300	16	454	13	330	7.8	3.54	6

Fiberglass Handled Prospecting Hammers

- Forged head
- Polished face, chamfer, and back
- Fiberglass handle with comfortable cushion grip
- PermaBond® construction between head and handle
- Known as the "Rock Hound" hammer



Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11423	037103114235	16	454	12 1/2	318	7.2	3.27	4

Hickory Handled Prospecting Hammers

- Forged head
- Durable, black epoxy powder paint finish on head
- Polished face and chamfer
- Strong hickory handle
- PermaBond® construction between head and handle
- Used primarily by prospectors and geologists




Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11493	037103114938	16	454	12 1/2	318	7.8	3.54	6

Heavy Hammer Warning

Warning - Wear Safety Goggles - User and Bystander

Sledges are designed for general sledging operations in striking wood, metal, concrete or stone. Never strike one hammer with or against another hammer as the face may chip possibly resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.

	⚠ WARNING	⚠ AVERTISSEMENT	⚠ ADVERTENCIA
	Risk Of Eye Injury Wear ANSI Approved Eye Protection	Risque de dommages d'oeil Protection d'oeil approuvée de l'usage A.N.S.I.	Riesgo de lesión del ojo Protección de ojo aprobada del desgaste ANSI

Double Faced Engineer's Hammers



11528

- Forged from high-quality steel, hardened and tempered
- Durable, flat black finish on head
- Two precision machined driving faces
- Hickory handle
- Wood wedged for easy handle replacement

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11527	037103115270	40	1135	14	356	19.2	8.71	6
11528	037103115287	48	1362	14	356	21.6	9.80	6
11529	037103115294	64	1814	15 3/4	396	28.2	12.79	6

Blacksmith Hand Hammer



11525P

- Quality, steel forged head, hardened and tempered
- Durable, flat black finish on head
- Hickory handle
- Wood wedged for easy handle replacement
- Weight distribution concentrated behind striking face for added power

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11523	037103115232	32	908	14	356	14.4	6.53	6
11524	037103115249	40	1135	14	356	19.2	8.71	6
11525P	037103115256	48	1362	14	356	19.0	8.98	6

Hand Drilling Hammer




- Black forged head
- Hickory handle
- Wood wedged for easy handle replacement
- Recommended for striking cold chisels, brick chisels, punches, and star drills
- Known as the "stone cutter's" hammer

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	lb	k	
11649	037103116499	48	1362	10 3/4	273	19.2	8.71	6

Plumb

Axes and Hatchets

Plumb provides a wide variety of axes and hatchets to suit personal preferences and usage. The large axe heads come in a choice of seven patterns. The finish is either a full-polished head and bit, or a painted, rust-resistant head with a polished bit. Only high-quality, hardened, tempered forged steel is used throughout our axes. Smaller axe heads and hatchets reflect the many uses to which this handy and versatile tool can be put. This is a specialist's field, where the customers know what they want... and they get it from Plumb®.



Axes and Hatchets Warnings

Warning - Wear Safety Goggles - User and Bystander

The striking face is designed for general blacksmith work in striking unhardened metal. The peins are used for shaping and bending unhardened metal. Never strike one hammer with or against another hammer or other hardened objects as chipping may occur, resulting in eye or other serious injury. Replace any tool immediately upon chipping, mushrooming or other damage.

⚠ WARNING		⚠ AVERTISSEMENT		⚠ ADVERTENCIA	
	Risk Of Eye Injury Wear ANSI Approved Eye Protection	Risque de dommages d'oeil Protection d'oeil approuvée de l'usage A.N.S.I.		Riesgo de lesión del ojo Protección de ojo aprobada del desgaste ANSI	

All American - Dreadnaught Axe

Curved Handle

- Forged steel heads. Tough, matte black finish
- Tempered and hardened bits retain their sharp cutting edge
- Hickory handle wood wedged for easy handle replacement



11599N

Cat No.	UPC No.	Type	Bar Size		Overall length		Shelf Pack wt.		Shelf Pack
			Inch	mm	Inch	mm	lb	k	
11599N	037103220837	SB Jersey	3.5	1588	36	914	9.6	4.36	2
11607N	037103220844	SB Michigan	3.5	1588	36	914	9.7	4.40	2

Straight Handle Axe

- Forged steel heads
- Tough, matte black finish on head
- Hardened, tempered bits retain their sharp cutting edge
- Straight, hickory handle
- Wood wedged for easy handle replacement



Cat No.	UPC No.	Type	Bar Size		Overall length		Shelf Pack wt.		Shelf Pack
			Inch	mm	Inch	mm	lb	k	
11613N	037103220851	DB Michigan	3.5	1588	36	914	11.0	4.99	2

Plumb

Fireman's Axe



- Forged, high-quality steel head
- Red blade and pick
- Curved, hickory handle
- Wood wedged for easy handle replacement

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		lb	g	Inch	mm	lb	k	
11629N	037103220875	6.0	2724	36	914	16.7	7.58	2

Boy's Camp Axe



- Curved, hickory handle
- Wood wedged for easy handle replacement
- Lightweight
- Ideal as a yard or camp axe

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		lb	g	Inch	mm	lb	k	
11619N	037103220868	2 1/4	1020	28	711	6.0	2.72	2

Plumb

Hunter's Belt Axe



- Black, forged steel head
- Hickory handle
- PermaBond® construction between head and handle
- Sharp, fast-cutting, lightweight axe with belt sheath
- For the hunter or sportsman

Cat No.	UPC No.	Head wt.		Overall length		Shelf Pack wt.		Shelf Pack
		lb	g	Inch	mm	lb	k	
11634	037103116345	1.25	567	12	305	10.8	4.90	6

Half Hatchets (Octagon Pole) Hickory Handle

- Durable, black epoxy finish on head
- Octagon-shaped pole
- Hardened, tempered bit holds sharp cutting edge
- Hickory handle
- Permabond® construction between head and handle



Cat No.	UPC No.	Head wt.		Bit Size		Overall Length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	Inch	mm	lb	k	
11549	037103115492	30	851	3 5/8	92	13 1/2	343	8.4	3.81	4

Broad Hatchet

- Black epoxy finish on head
- Heavy hatchet has broad, single-bevel, cutting edge
- Hickory handle
- Permabond® construction between head and handle



Cat No.	UPC No.	Head wt.		Bit Size		Overall Length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	Inch	mm	lb	k	
11554	037103115546	36	1021	4 1/2	114	15 1/2	394	10.0	4.54	4

Expert California Lath Hatchet

- Full-polished head
- Checkered striking face
- Thin blade
- Hickory handle
- Permabond® construction between head and handle



Cat No.	UPC No.	Head wt.		Bit Size		Overall Length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	Inch	mm	lb	k	
11544P	037103115447	20	567	2 1/8	54	12 1/2	318	6.0	2.72	4

Expert Wallboard Hatchet



- Black enamel head
- Checkered face
- Hickory handle
- Polished bevel
- Permabond® construction between head and handle
- Designed for the wallboard expert

Cat No.	UPC No.	Head wt.		Bit Size		Overall Length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	Inch	mm	lb	k	
11543	037103115430	24	681	2 1/4	57	13	330	7.2	3.27	4

Rigster Hatchet



- Full-polished head
- Checkered face
- Sharp cutting edge
- Hickory handle
- Permabond® construction between head and handle

Cat No.	UPC No.	Head wt.		Bit Size		Overall Length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	Inch	mm	lb	k	
11559P	037103115597	28	794	3 1/2	89	18	457	10.0	4.54	4

Plumb

Expert Shingling Hatchet



- Full-polished head
- Adjustable gauge
- Checkered face
- Draw knife inner blade
- Hickory handle with leather strap
- Permabond® construction between head and handle
- Designed for the expert shingler

Cat No.	UPC No.	Head wt.		Bit Size		Overall Length		Shelf Pack wt.		Shelf Pack
		oz	g	Inch	mm	Inch	mm	lb	k	
11558	037103115584	24	681	2 1/8	54	13	330	8.0	3.63	4

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
11006.....	260, 261, 266, 275	11599N.....	179				
11400.....	170	11607N.....	179				
11402.....	170	11613N.....	179				
11403.....	170	11619N.....	180				
11405.....	171	11629N.....	180				
11406.....	171	11634.....	180				
11407.....	171	11649.....	178				
11414.....	170	11654.....	171				
11415.....	170	SS16C.....	172				
11416.....	170	SS16R.....	172				
11417.....	170	SS20BH.....	176				
11418.....	171	SS20C.....	172				
11419.....	171	SS20R.....	172				
11420.....	170	SS22R.....	172				
11421.....	175	SS22RCF.....	172				
11422.....	175	SS24BH.....	176				
11423.....	177	SS28R.....	172				
11426.....	174	SS28RCF.....	172				
11427.....	174						
11428.....	174						
11429.....	174						
11430.....	174						
11435.....	173						
11436.....	173						
11438.....	173						
11439.....	173						
11440.....	173						
11442.....	173						
11460.....	173						
11491P.....	175						
11492.....	175						
11493.....	177						
11494.....	174						
11495.....	174						
11496.....	174						
11497.....	174						
11498.....	174						
11499.....	174						
11501.....	176						
11502.....	176						
11520.....	174						
11521.....	174						
11522.....	174						
11523.....	178						
11524.....	178						
11525P.....	178						
11527.....	178						
11528.....	178						
11529.....	178						
11530.....	177						
11543.....	182						
11544P.....	181						
11549.....	181						
11554.....	181						
11558.....	182						
11559P.....	182						